EU-TYPE EXAMINATION CERTIFICATE [1]



Equipment or Protective System intended for use [2] in Potentially Explosive Atmospheres Directive 2014/34/EU

- EU-Type Examination Certificate Number: CNEX 16 ATEX 0007 X Issue 0 [3]
- **Explosion-proof Camera Model DH-EPC** [4] Equipment or Protective System: Manufacturer: Zhejiang Dahua System Engineering Co., LTD. [5] [6] Address: 1187 Bin'an Road, Binjiang District, Hangzhou, Zhejiang, P.R. China
- [7] This equipment or protective system and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.
- CNEX-Global B.V., Notified Body number 2614, in accordance with Directive 2014/34/EU of the [8] European Parliament and of the Council, dated 26 February 2014, certifies that this equipment or protective system has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment and protective systems intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential Report No. 16008.

[9] Compliance with the Essential Health and Safety Requirements has been assured by compliance with:

> EN 60079-0:2012+A11:2013 EN 60079-1:2014 EN 60079-31:2014

except in respect of those requirements listed at item 18 of the Schedule.

- [10] If the sign "X" is placed after the certificate number, it indicates that the equipment or protective system is subject to specific conditions for use specified in the schedule to this certificate.
- This EU Type examination certificate relates only to the design and construction of the specified [11] equipment or protective system. Further requirements of the Directive apply to the manufacturing process and supply of this equipment or protective system. These are not covered by this certificate.
- The marking of the equipment or protective system shall include the following: [12]



Ex db IIC T6 Gb or Ex the IIIC T80°C Db

Certification officer: Wu Jianguo

Signature:

Date of issue: 2016-07-29

111 Alexand
1 / / / / / marine
1 NWAWA
v ~

Certification Body: CNEX-Global B.V., Utrechtseweg 310, 6812 AR, Arnhem, the Netherlands

This certificate may only be reproduced in its entirety and without any change, including schedule

[13]

[14]

SCHEDULE EU-TYPE EXAMINATION CERTIFICATE No. CNEX 16 ATEX 0007 X Issue 0 Report: 16008

[15] <u>Description of equipment or protective system:</u>

The explosion-proof camera model DH-EPC is made of stainless steel, constructed with type of explosion protection flameproof enclosure 'db' for explosive gas atmospheres, as well as with type of explosion protection 'tb' for dust atmospheres. The enclosure contains the camera assembly, the decoder and the terminals. It is fitted with a toughened glass window.

Nomenclature for model DH-EPC:

		Camera model
	 	Zoom
		Pixel
		$Ex \ product \ code$
		Short for Dahua

<u>Ambient temperature range</u> The ambient temperature range is limited to: -40 °C ~ +60 °C

Electrical Data: Rated voltage:: 220 Vac, or 24 Vac, or 12 Vdc Rated current:: 2 A max.

Mounting Instructions: None.

Installation Instructions: See User Manual.

The rear cover shall be closed using six M5X12 hexagon head bolts with a minimum yield strength of 450 MPa.

Routine Tests:

According to clause 16.1 of standard EN 60079-1 each apparatus shall be submitted to an overpressure test of 1.6 MPa (16 Bar) during at least 10 seconds.

[16] <u>Descriptive Documents:</u>

Detailed in the Test Report Cover document. (ref. CQST/ExTR1507G011)

This certificate may only be reproduced in its entirety and without any change, including schedule

[13]

[14]

SCHEDULE EU-TYPE EXAMINATION CERTIFICATE No. CNEX 16 ATEX 0007 X Issue 0 Report: 16008

[17] <u>Specific Conditions for Use:</u>

The width of flameproof joints is more than the minimum values specified in the EN 60079-1 standard. If needed, repairs of flameproof joints must only be made in compliance with the structural specifications supplied by the manufacturer.

If supplied with a permanently attached cable, the free end of the cable shall be terminated in a suitable enclosure which is Ex-certified per EN 60079-0 cl. 1, or in the non-hazardous area, and be fixed installed.

[18] Essential Health and Safety Requirements:

Concerning ESR this Schedule verifies compliance with the Annex III of 2014/34/EU directive only. The manufacturer's Declaration of Conformity declares compliance with other relevant requirements and Directives.

The manufacturer shall inform the notified body concerning all modifications to the technical documentation as described in ANNEX III to Directive 2014/34/EU of the European Parliament and the Council of 26 February 2014.

Additional Information:

The enclosure of the explosion-proof camera model DH-EPC successfully passed the tests for the Ingress Protection level IP68 (2 m / 2 h) to EN 60529.